



tropical
safety & identification

BRADY SIGNS - EMERGENCY EVACUATION

FULL FORM CATALOGUE
VERSION 1. Date 02-09-09

CONTENTS

EMERGENCY EVACUATION BREE 1-2

*... your local
safety specialists*

ORDER ONLINE
& SAVE

www.tropicalsafety.com.au

EMAIL
info@tropicalsafety.com.au

FAX
07 4957 5510

WAREHOUSE
THE FOURWAYS - BEHIND AUSTRALIA POST
(ACCESS OFF BRIDGE RD, MACKAY)

tropical safety & identification



BRADY SIGNS - EMERGENCY EVACUATION

TSI
GUARANTEE






































BRADY SIGNS - EMERGENCY
EVACUATION

We will find **cost savings**
on your volume buying...
without sacrificing quality!




tropical

STANDARD RANGE

 835836 LUM ^(M) 350x180 832736 POLY 350x180 833393 LUM ^(SS) 350x180	 835837 LUM ^(M) 350x180 832704 POLY 350x180 833394 LUM ^(SS) 350x180	 835838 LUM ^(M) 350x180 832706 POLY 350x180 833395 LUM ^(SS) 350x180	 835839 LUM ^(M) 450x180 832738 POLY 450x180 833396 LUM ^(SS) 450x180	 841405 LUM ^(M) 350x180 841406 POLY 350x180 838533 LUM ^(SS) 350x180	 841397 LUM ^(M) 350x180 836740 POLY 350x180 838534 LUM ^(SS) 350x180
 841407 LUM ^(M) 350x180 841408 POLY 350x180 838535 LUM ^(SS) 350x180 843034 LUM ^(POLY) 350x180	 841403 LUM ^(M) 350x180 841404 POLY 350x180 838536 LUM ^(SS) 350x180	 835840 LUM ^(M) 450x180 841147 POLY 450x180 833397 LUM ^(SS) 450x180	 835841 LUM ^(M) 450x180 841150 POLY 450x180 833398 LUM ^(SS) 450x180	 835855 LUM ^(M) 450x180 841149 POLY 450x180 833420 LUM ^(SS) 450x180	 835854 LUM ^(M) 450x180 841146 POLY 450x180 833419 LUM ^(SS) 450x180
 835857 LUM ^(M) 450x180 832747 POLY 450x180 833416 LUM ^(SS) 450x180	 835850 LUM ^(M) 450x180 844023 POLY 450x180 836645 LUM ^(SS) 450x180	 835851 LUM ^(M) 350x180 832720 POLY 350x180 834730 LUM ^(SS) 350x180	 835853 LUM ^(M) 350x180 832749 POLY 350x180 833418 LUM ^(SS) 350x180	 835752 LUM ^(M) 350x180 832748 POLY 350x180 833417 LUM ^(SS) 350x180	 841148 LUM ^(M) 350x250 832729 POLY 350x250 833407 LUM ^(SS) 350x250
 844386 LUM ^(M) 450x180 844387 POLY 450x180 844388 LUM ^(SS) 450x180 850942 MTL 450x180	 841185 SS 200x45 842404 SS 400x100	 841182 SS 400x100	 841204 LUM ^(SS) 400x100	 835365 POLY 600x450 832491 MTL 600x450	 1 WHEN ALARM SOUNDS, LEAVE IMMEDIATELY BY THE NEAREST EXIT. 2 PROCEED IN AN ORDERLY MANNER TO ASSEMBLY POINT. 3 REMAIN AT ASSEMBLY POINT UNTIL ALL-CLEAR IS GIVEN. 835335 POLY 450x300 841530 LUM 450x300
 841203 LUM ^(SS) 400x100	 846137 LUM ^(SS) 180x180 847230 SS 180x180				
 846138 LUM ^(SS) 450x180 846140 LUM ^(M) 450x180 846139 LUM ^(P) 450x180	 846141 LUM ^(SS) 450x180 846143 LUM ^(M) 450x180 846142 LUM ^(P) 450x180	 847228 LUM ^(SS) 180x180 847229 SS 180x180	 846326 LUM ^(SS) 180x180 846327 SS 180x180	 852640 LUM ^(SS) 150x150 856390 LUM ^(SS) 180x180 859125 LUM ^(SS) 180x180	
 851513 LUM ^(SS) 450x180 851413 LUM ^(SS) 50x100 853697 LUM ^(M) 450x180 853724 MTL 450x180 854623 LUM ^(P) 450x180 854705 POLY 450x180 859118 LUM ^(SS) 300x125	 851518 LUM ^(SS) 450x180 851408 LUM ^(SS) 50x100 859119 LUM ^(M) 450x180 856838 MTL 450x180 854622 LUM ^(P) 450x180 859120 POLY 450x180 859121 LUM ^(SS) 300x125	 851517 LUM ^(SS) 450x180 851409 LUM ^(SS) 50x100 859122 LUM ^(M) 450x180 859124 MTL 450x180 854624 LUM ^(P) 450x180 854766 POLY 450x180 859123 LUM ^(SS) 300x125	 851516 LUM ^(SS) 450x180 851410 LUM ^(SS) 50x100 853361 LUM ^(M) 450x180 853723 MTL 450x180 853722 LUM ^(P) 450x180 854767 POLY 450x180 859113 LUM ^(SS) 300x125	 851515 LUM ^(SS) 450x180 851411 LUM ^(SS) 50x100 853362 LUM ^(M) 450x180 859114 MTL 450x180 855427 LUM ^(P) 450x180 854764 POLY 450x180 859648 LUM ^(SS) 300x125	 851514 LUM ^(SS) 450x180 851412 LUM ^(SS) 50x100 853363 LUM ^(M) 450x180 859116 MTL 450x180 854621 LUM ^(P) 450x180 859115 POLY 450x180 859117 LUM ^(SS) 300x125

REPLACEMENT LEGENDS

These Replacement Legends are designed as a cost-effective solution to upgrade Escape Luminaries with the Running Man legend. They are printed on clear vinyl for maximum light emission. The 380mm (w) x 160mm (h) size is designed to fit most diffusers. Trim down to size if required, or order as custom to suit your exact requirements. Suitable only for Exit Signs which have self-adhesive vinyl legend, some diffusers are screen-printed and will require the entire diffuser to be replaced. Use the squeegee (36612) to aid application.



CODE	DESCRIPTION
862888	380x180mm SS Running Man right arrow
862889	380x180mm SS Running Man left arrow
862890	380x180mm SS Running Man straight ahead
36612	Squeegee*

*Squeegee has a G discount only.

FLOOR SIGNS



Help direct employees during emergency evacuations with floor signs. Tough, anti-skid over-laminate protects the sign face in high traffic areas. To prolong the life of these signs, use primer and edge sealing compound, apply to a clean, dry, dust-free surface. Not suitable for carpeted areas.

Materials
Standard Floor Sign Luminous Floor Sign



843311 | LUM | 440x180
843312 | SS | 440x180



843307 | LUM | 440x180
843308 | SS | 440x180



843309 | LUM | 440x180
843310 | SS | 440x180



*Glow-In-The-Dark Signs
Save Lives in Smoke
& Darkness*



843305 | LUM | 440x180
843306 | SS | 440x180



843301 | LUM | 440x180
843302 | SS | 440x180



843303 | LUM | 440x180
843304 | SS | 440x180



843313 | LUM | 440x180
843314 | SS | 440x180



843315 | LUM | 440x180
843316 | SS | 440x180



855071 | LUM | 440x180
855070 | SS | 440x180



855073 | LUM | 440x180
855072 | SS | 440x180



855075 | LUM | 440x180
855074 | SS | 440x180



855077 | LUM | 440x180
855076 | SS | 440x180



855079 | LUM | 440x180
855078 | SS | 440x180



855081 | LUM | 440x180
855080 | SS | 440x180

GUIDANCE SIGNS AND FRAMES

ALUMINIUM SIGN FRAMES

Strong lightweight anodised aluminium construction. Choose from either ceiling or wall-mount models. A professional, energy efficient solution for a guidance sign – saves electricity where an electric Exit Sign is not required by law.

STANDARD PACKAGE 1

CODE	DESCRIPTION	SIZE
859766	Double-sided sign frame	150x450mm
859767	Single-sided sign frame	150x450mm
861102	Hanging kit for double-sided frame	-



SIGNS FOR ALUMINIUM SIGN FRAMES

Special 450x150mm size designed for Sign Frames. Available in standard ink or BradyGlo™ luminous finish. Choose between the worded 'Exit' or pictogram Running Man style. All signs have arrows (as they are all guidance signs), so for the Double-Sided Frame you will need one sign with a left arrow and the other with a right arrow to be read from both sides. All signs made from our durable polypropylene material.

Description
Standard Luminous



862892 | LUM | 440x180
862893 | SS | 440x180



862894 | LUM | 440x180
862895 | SS | 440x180



862896 | LUM | 440x180
862897 | SS | 440x180



862898 | LUM | 440x180
862899 | SS | 440x180

EXIT LIGHT SIGNS



ECONOMY EXIT SIGN

Complies with AS/NZS 2293. Economical choice. Fixed to mains power with a 2 hour battery backup.

Dimensions:

Single sided – 160mm (h) x 380mm (l) x 110mm (w)
Double sided – 190mm (h) x 380mm (l) x 160mm (w)

CODE	DESCRIPTION	LEGEND
842462	Single-sided	Exit (worded)
842463	Double-sided	Exit (worded)
853677	Single-sided	Run Man (pictogram)
853678	Double-sided	Run Man (pictogram)



QUICKFIT EXIT SIGN

Complies with AS/NZS 2293. Easier installation. Indicate all exits and doors.

Dimensions:

Single/Double – 218mm (h) x 374mm (l) x 72mm (w)
• Fixed to mains power with a 2 hour battery backup.

CODE	DESCRIPTION	LEGEND
842466	Single-sided	Exit (worded)
842467	Double-sided	Exit (worded)
854963	Single-sided	Run Man (pictogram)
854964	Double-sided	Run Man (pictogram)

JUMBO QUICKFIT EXIT SIGN

Complies to AS/NZS 2293. 32m viewing distance to suit rooms with high ceilings.

Dimensions:

Single sided – 636mm (l) x 95mm (w) x 305mm (h)
Double sided – 636mm (l) x 122mm (w) x 305mm (h)

CODE	DESCRIPTION	LEGEND
859762	Single-sided	Exit (worded)
859763	Double-sided	Exit (worded)
859764	Single-sided	Run Man (pictogram)
859765	Double-sided	Run Man (pictogram)

